

## Author Index

- Akazawa, K., see Kondo, A., 217  
 Ang, L.-C., George, D.H., Shul, D., Wang, D.-Q. and Munoz, D.G., Delayed changes of chromogranin A immunoreactivity (CgA ir) in human striate cortex during postnatal development, 333  
 Appel, S.H., see Le, W.-d., 375  
 Berman, N.E.J., see Hogan, D., 343  
 Bonaventure, N., see Jardon, B., 67  
 Bostwick, J.R., see Le, W.-d., 375  
 Cambray-Deakin, M.A., see Rashid, N.A., 301  
 Cammer, W. and Zhang, H., Carbonic anhydrase in distinct precursors of astrocytes and oligodendrocytes in the forebrains of neonatal and young rats, 257  
 Carrier, A., see Mahalik, T.J., 75  
 Cavalheiro, E.A., De Feo, M.R., Mecarelli, O. and Ricci, G., Age-related anticonvulsant activity of NMDA in the rat caudate-putamen, 371  
 Cavalheiro, E.A., see Turski, W., 137  
 Chundu, K., see Devaskar, S., 95  
 Clayton, G., see Mahalik, T.J., 75  
 DaVanzo, J.P., see Paul, J.W., 113  
 De Blas, M.R., see Luque, J.M., 211  
 De Feo, M.R., see Cavalheiro, E.A., 371  
 Delhay-Bouchaud, N., see Zanjani, H.S., 153  
 Denenberg, V.H., see Schrott, L.M., 85  
 Devaskar, S., Chundu, K., Zahm, D.S., Holtzclaw, L. and Holloran, K., The neonatal rabbit brain glucose transporter, 95  
 Distler, P.G. and Robertson, R.T., Development of AChE-positive neuronal projections from basal forebrain to cerebral cortex in organotypic tissue slice cultures, 181  
 Dziki, M., see Turski, W., 137  
 Ehret, G. and Romand, R., Development of tone response thresholds, latencies and tuning in the mouse inferior colliculus, 317  
 Ellis, L., see Wallis, I., 265  
 Elmquist, J.K., Fox, C.A., Ross, L.R. and Jacobson, C.D., Galanin-like immunoreactivity in the adult and developing Brazilian opossum brain, 161  
 Ferriero, D.M., Developmental expression of somatostatin receptors in the rat retina, 309  
 Fox, C.A., see Elmquist, J.K., 161  
 Frenk, H., see Van Praag, H., 19  
 Galaburda, A.M., see Rosen, G.D., 285  
 Galaburda, A.M., see Schrott, L.M., 85  
 Galaburda, A.M., see Sherman, G.F., 279  
 Galewski, S., Skangiel-Kramska, J., Pomorski, P. and Kossut, M., Voltage-dependent L-type calcium channels in the development and plasticity of mouse barrel cortex, 293  
 Geffard, M., see Rajaofetra, N., 237  
 George, D.H., see Ang, L.-C., 333  
 Guillamón, A., see Luque, J.M., 211  
 Guo, H., see Sekiguchi, M., 105  
 Herrup, K., see Zanjani, H.S., 153  
 Higashi, Y., see Ohno, M., 37  
 Hogan, D. and Berman, N.E.J., The development of neuropeptide Y immunoreactive neurons in cat visual cortical areas, 343  
 Holloran, K., see Devaskar, S., 95  
 Holtzclaw, L., see Devaskar, S., 95  
 Hutchins, J.B. and Jefferson, V.E., Developmental distribution of platelet-derived growth factor in the mouse central nervous system, 121  
 Igarashi, M., Tashiro, T. and Komiya, Y., Actin-binding proteins in the growth cone particles (GCP) from fetal rat brain: a 44 kDa actin-binding protein is enriched in the fetal GCP fraction, 197  
 Jacobson, C.D., see Elmquist, J.K., 161  
 Jardon, B. and Bonaventure, N., *N*-Methyl-D-aspartate antagonists suppress the development of frog symmetric monocular optokinetic nystagmus observed after unilateral visual deprivation, 67  
 Jefferson, V.E., see Hutchins, J.B., 121  
 Jeserich, G. and Stratmann, A., In vitro differentiation of trout oligodendrocytes: evidence for an A2B5-positive origin, 27  
 Jordan, F.L., Distribution and expression of G-protein in rat cerebral cortical cells. I. Intact tissue, 1  
 Jordan, F.L., Distribution and expression of G-protein in rat cerebral cortical cells. II. Primary tissue culture, 11  
 Kleinrok, Z., see Turski, W., 137  
 Komiya, Y., see Igarashi, M., 197  
 Kondo, A., Sendoh, S., Akazawa, K., Sato, Y. and Nagara, H., Early myelination in zitter rat: morphological, immunocytochemical and morphometric studies, 217  
 Kossut, M., see Galewski, S., 293  
 Lasher, R.S., see Wallis, I., 265  
 Le, W.-d., Bostwick, J.R. and Appel, S.H., Use of [<sup>3</sup>H]-GBR12935 to measure dopaminergic nerve terminal growth into the developing rat striatum, 375  
 Lesage, A., see Wong, D.L., 229  
 Luque, J.M., De Blas, M.R., Segovia, S. and Guillamón, A., Sexual dimorphism of the dopamine- $\beta$ -hydroxylase-immunoreactive neurons in the rat locus ceruleus, 211  
 Mahalik, T.J., Carrier, A., Owens, G.P. and Clayton, G., The expression of GAP43 mRNA during the late embryonic and early postnatal development of the CNS of the rat: an in situ hybridization study, 75  
 Mariani, J., see Zanjani, H.S., 153  
 Marini, A.M., see Shinoda, H., 205  
 Marlier, L., see Rajaofetra, N., 237  
 Merali, Z., see Piggins, H., 247  
 Mecarelli, O., see Cavalheiro, E.A., 371  
 Moudy, A.M. and Schwartzkroin, P.A., Pyramidal neurons in immature rat hippocampus are sensitive to  $\beta$ -adrenergic agents, 57  
 Munoz, D.G., see Ang, L.-C., 333  
 Nagara, H., see Kondo, A., 217  
 Negishi, K., see Teranishi, T., 327  
 Nowakowski, R.S., see Sekiguchi, M., 105  
 Ohno, M., Higashi, Y. and Suzuki, K., Microglial cell response to neuronal degeneration in the brain of brindled mouse, 37  
 Owens, G.P., see Mahalik, T.J., 75  
 Parada, J., see Turski, W., 137  
 Parks, T.N., see Zhou, N., 145  
 Paul, J.W. and DaVanzo, J.P., 1,1,3 Tricyano-2-amino-1-propene (Triap) stimulates choline acetyltransferase activity in vitro and in vivo, 113  
 Pfenninger, K.H., see Wallis, I., 265  
 Piggins, H. and Merali, Z., The ontogenetic and sequential characteristics of bombesin-induced grooming in the infant rat, 247  
 Pomorski, P., see Galewski, S., 293  
 Poulat, P., see Rajaofetra, N., 237  
 Press, D.M., see Sherman, G.F., 279  
 Privat, A., see Rajaofetra, N., 237  
 Rajaofetra, N., Poulat, P., Marlier, L., Geffard, M. and Privat, A., Pre- and postnatal development of noradrenergic projections to the rat spinal cord: an immunocytochemical study, 237  
 Rashid, N.A. and Cambray-Deakin, M.A., *N*-Methyl-D-aspartate effects on the growth, morphology and cytoskeleton of individual neurons in vitro, 301  
 Ricci, G., see Cavalheiro, E.A., 371  
 Richman, J.M., see Rosen, G.D., 285  
 Robertson, R.T., see Distler, P.G., 181  
 Romand, R., see Ehret, G., 317  
 Rosen, G.D., see Sherman, G.F., 279  
 Rosen, G.D., Sherman, G.F., Richman, J.M., Stone, L.V. and Galaburda, A.M., Induction of molecular layer ectopias by

# Author Index

- Akazawa, K., see Kondo, A., 217  
 Ang, L.-C., George, D.H., Shul, D., Wang, D.-Q. and Munoz, D.G., Delayed changes of chromogranin A immunoreactivity (CgA ir) in human striate cortex during postnatal development, 333  
 Appel, S.H., see Le, W.-d., 375  
 Berman, N.E.J., see Hogan, D., 343  
 Bonaventure, N., see Jardon, B., 67  
 Bostwick, J.R., see Le, W.-d., 375  
 Cambray-Deakin, M.A., see Rashid, N.A., 301  
 Cammer, W. and Zhang, H., Carbonic anhydrase in distinct precursors of astrocytes and oligodendrocytes in the forebrains of neonatal and young rats, 257  
 Carrier, A., see Mahalik, T.J., 75  
 Cavalheiro, E.A., De Feo, M.R., Mecarelli, O. and Ricci, G., Age-related anticonvulsant activity of NMDA in the rat caudate-putamen, 371  
 Cavalheiro, E.A., see Turski, W., 137  
 Chundu, K., see Devaskar, S., 95  
 Clayton, G., see Mahalik, T.J., 75  
 DaVanzo, J.P., see Paul, J.W., 113  
 De Blas, M.R., see Luque, J.M., 211  
 De Feo, M.R., see Cavalheiro, E.A., 371  
 Delhay-Bouchaud, N., see Zanjani, H.S., 153  
 Denenberg, V.H., see Schrott, L.M., 85  
 Devaskar, S., Chundu, K., Zahm, D.S., Holtzclaw, L. and Holloran, K., The neonatal rabbit brain glucose transporter, 95  
 Distler, P.G. and Robertson, R.T., Development of AChE-positive neuronal projections from basal forebrain to cerebral cortex in organotypic tissue slice cultures, 181  
 Dziki, M., see Turski, W., 137  
 Ehret, G. and Romand, R., Development of tone response thresholds, latencies and tuning in the mouse inferior colliculus, 317  
 Ellis, L., see Wallis, I., 265  
 Elmquist, J.K., Fox, C.A., Ross, L.R. and Jacobson, C.D., Galanin-like immunoreactivity in the adult and developing Brazilian opossum brain, 161  
 Ferriero, D.M., Developmental expression of somatostatin receptors in the rat retina, 309  
 Fox, C.A., see Elmquist, J.K., 161  
 Frenk, H., see Van Praag, H., 19  
 Galaburda, A.M., see Rosen, G.D., 285  
 Galaburda, A.M., see Schrott, L.M., 85  
 Galaburda, A.M., see Sherman, G.F., 279  
 Galewski, S., Skangiel-Kramska, J., Pomorski, P. and Kossut, M., Voltage-dependent L-type calcium channels in the development and plasticity of mouse barrel cortex, 293  
 Geffard, M., see Rajaofetra, N., 237  
 George, D.H., see Ang, L.-C., 333  
 Guillamón, A., see Luque, J.M., 211  
 Guo, H., see Sekiguchi, M., 105  
 Herrup, K., see Zanjani, H.S., 153  
 Higashi, Y., see Ohno, M., 37  
 Hogan, D. and Berman, N.E.J., The development of neuropeptide Y immunoreactive neurons in cat visual cortical areas, 343  
 Holloran, K., see Devaskar, S., 95  
 Holtzclaw, L., see Devaskar, S., 95  
 Hutchins, J.B. and Jefferson, V.E., Developmental distribution of platelet-derived growth factor in the mouse central nervous system, 121  
 Igarashi, M., Tashiro, T. and Komiya, Y., Actin-binding proteins in the growth cone particles (GCP) from fetal rat brain: a 44 kDa actin-binding protein is enriched in the fetal GCP fraction, 197  
 Jacobson, C.D., see Elmquist, J.K., 161  
 Jardon, B. and Bonaventure, N., *N*-Methyl-D-aspartate antagonists suppress the development of frog symmetric monocular optokinetic nystagmus observed after unilateral visual deprivation, 67  
 Jefferson, V.E., see Hutchins, J.B., 121  
 Jeserich, G. and Stratmann, A., In vitro differentiation of trout oligodendrocytes: evidence for an A2B5-positive origin, 27  
 Jordan, F.L., Distribution and expression of G-protein in rat cerebral cortical cells. I. Intact tissue, 1  
 Jordan, F.L., Distribution and expression of G-protein in rat cerebral cortical cells. II. Primary tissue culture, 11  
 Kleinrok, Z., see Turski, W., 137  
 Komiya, Y., see Igarashi, M., 197  
 Kondo, A., Sendoh, S., Akazawa, K., Sato, Y. and Nagara, H., Early myelination in zitter rat: morphological, immunocytochemical and morphometric studies, 217  
 Kossut, M., see Galewski, S., 293  
 Lasher, R.S., see Wallis, I., 265  
 Le, W.-d., Bostwick, J.R. and Appel, S.H., Use of [<sup>3</sup>H]-GBR12935 to measure dopaminergic nerve terminal growth into the developing rat striatum, 375  
 Lesage, A., see Wong, D.L., 229  
 Luque, J.M., De Blas, M.R., Segovia, S. and Guillamón, A., Sexual dimorphism of the dopamine- $\beta$ -hydroxylase-immunoreactive neurons in the rat locus ceruleus, 211  
 Mahalik, T.J., Carrier, A., Owens, G.P. and Clayton, G., The expression of GAP43 mRNA during the late embryonic and early postnatal development of the CNS of the rat: an in situ hybridization study, 75  
 Mariani, J., see Zanjani, H.S., 153  
 Marini, A.M., see Shinoda, H., 205  
 Marlier, L., see Rajaofetra, N., 237  
 Merali, Z., see Piggins, H., 247  
 Mecarelli, O., see Cavalheiro, E.A., 371  
 Moudy, A.M. and Schwartzkroin, P.A., Pyramidal neurons in immature rat hippocampus are sensitive to  $\beta$ -adrenergic agents, 57  
 Munoz, D.G., see Ang, L.-C., 333  
 Nagara, H., see Kondo, A., 217  
 Negishi, K., see Teranishi, T., 327  
 Nowakowski, R.S., see Sekiguchi, M., 105  
 Ohno, M., Higashi, Y. and Suzuki, K., Microglial cell response to neuronal degeneration in the brain of brindled mouse, 37  
 Owens, G.P., see Mahalik, T.J., 75  
 Parada, J., see Turski, W., 137  
 Parks, T.N., see Zhou, N., 145  
 Paul, J.W. and DaVanzo, J.P., 1,1,3 Tricyano-2-amino-1-propene (Triap) stimulates choline acetyltransferase activity in vitro and in vivo, 113  
 Pfenninger, K.H., see Wallis, I., 265  
 Piggins, H. and Merali, Z., The ontogenetic and sequential characteristics of bombesin-induced grooming in the infant rat, 247  
 Pomorski, P., see Galewski, S., 293  
 Poulat, P., see Rajaofetra, N., 237  
 Press, D.M., see Sherman, G.F., 279  
 Privat, A., see Rajaofetra, N., 237  
 Rajaofetra, N., Poulat, P., Marlier, L., Geffard, M. and Privat, A., Pre- and postnatal development of noradrenergic projections to the rat spinal cord: an immunocytochemical study, 237  
 Rashid, N.A. and Cambray-Deakin, M.A., *N*-Methyl-D-aspartate effects on the growth, morphology and cytoskeleton of individual neurons in vitro, 301  
 Ricci, G., see Cavalheiro, E.A., 371  
 Richman, J.M., see Rosen, G.D., 285  
 Robertson, R.T., see Distler, P.G., 181  
 Romand, R., see Ehret, G., 317  
 Rosen, G.D., see Sherman, G.F., 279  
 Rosen, G.D., Sherman, G.F., Richman, J.M., Stone, L.V. and Galaburda, A.M., Induction of molecular layer ectopias by

- puncture wounds in newborn rats and mice, 285
- Rosen, G.L., see Schrott, L.M., 85
- Ross, L.R., see Elmquist, J.K., 161
- Sanes, D.H., Song, J. and Tyson, J., Refinement of dendritic arbors along the tonotopic axis of the gerbil lateral superior olive, 47
- Sato, Y., see Kondo, A., 217
- Schrott, L.M., Denenberg, V.H., Sherman, G.F., Waters, N.S., Rosen, G.L. and Galaburda, A.M., Environmental enrichment, neocortical ectopias, and behavior in the autoimmune NZB mouse, 85
- Schwartz, J.P., see Shinoda, H., 205
- Schwartzkroin, P.A., see Moudy, A.M., 57
- Segovia, S., see Luque, J.M., 211
- Sekiguchi, M., Shimai, K., Guo, H. and Nowakowski, R.S., Cytoarchitectonic abnormalities in hippocampal formation and cerebellum of dreher mutant mouse, 105
- Sendoh, S., see Kondo, A., 217
- Sherman, G.F., Rosen, G.D., Stone, L.V., Press, D.M. and Galaburda, A.M., The organization of radial glial fibers in spontaneous neocortical ectopias of newborn New Zealand Black mice, 279
- Sherman, G.F., see Rosen, G.D., 285
- Sherman, G.F., see Schrott, L.M., 85
- Shimai, K., see Sekiguchi, M., 105
- Shinoda, H., Marini, A.M. and Schwartz, J.P., Developmental expression of the proenkephalin and prosomatostatin genes in cultured cortical and cerebellar astrocytes, 205
- Shul, D., see Ang, L.-C., 333
- Siddall, B., see Wong, D.L., 229
- Siller, K., see Wallis, I., 265
- Skangiel-Kramska, J., see Galewski, S., 293
- Song, J., see Sanes, D.H., 47
- Stone, L.V., see Rosen, G.D., 285
- Stone, L.V., see Sherman, G.F., 279
- Stratmann, A., see Jeserich, G., 27
- Suzuki, K., see Ohno, M., 37
- Tashiro, T., see Igarashi, M., 197
- Teranishi, T. and Negishi, K., Dendritic morphology of interstitial amacrine cells with monostriated dendrites in different-sized carp retinas, 327
- Turski, W., Dziki, M., Parada, J., Kleinrok, Z. and Cavalheiro, E.A., Age dependency of the susceptibility of rats to aminooxyacetic acid seizures, 137
- Tyson, J., see Sanes, D.H., 47
- Van Praag, H. and Frenk, H., The effects of systemic morphine on behavior and EEG in newborn rats, 19
- Wallis, I., Lasher, R.S., Ellis, L., Siller, K. and Pfenninger, K.H., developmentally regulated plasmalemmal antigen present in synaptosomes but not in growth cones, 265
- Wang, D.-Q., see Ang, L.-C., 333
- Waters, N.S., see Schrott, L.M., 85
- White, S., see Wong, D.L., 229
- Wong, D.L., Lesage, A., White, S. and Siddall, B., Adrenergic expression in the rat adrenal gland: multiple developmental regulatory mechanisms, 229
- Zahm, D.S., see Devaskar, S., 95
- Zanjani, H.S., Mariani, J., Delhaye-Bouchaud, N. and Herrup, K., Neuronal cell loss in heterozygous *staggerer* mutant mice: a model for genetic contributions to the aging process, 153
- Zhang, H., see Cammer, W., 257
- Zhou, N. and Parks, T.N., Developmental changes in the effects of drugs acting at NMDA or non-NMDA receptors on synaptic transmission in the chick cochlear nucleus (nuc. magnocellularis), 145